Ledvision



Operartions Manual for Interactive Board

Note: Please read this Manual carefully before using the product ! Do not attempt to disassemble the product. If the product does not work, please contact us or our dealer in your area.

目录 Content

1 Introduction	5
2 Product function	5
2.1 Boot wizard	5
2.2 Launcher	6
2.2.1 Introduction of page elements	7
2.2.2 Status bar	7
2.3 Sidebar	8
2.3.1 Back	8
2.3.2 Home	8
2.3.3 Multi-task	8
2.3.4 Annotation	9
2.3.5 Control panel	9
2.3.6 Signal source	10
2.4 Campass	10
2.5 Whiteboard	11
2.5.1 Menu	12
2.5.2 Setting	13
2.5.3 Page Management	13
2.5.4 Paintbrush	14
2.5.5 Erase	14
2.5.6 Select	14
2.5.7 Insert	15
2.5.8 Undo and Redo	16
2.5.9 More	16
2.6 Mini whiteboard	17

2.7 Annotation	17
2.7.1 Pen	
2.7.2 Erase	18
2.7.3 Scan share	18
2.7.4 Minimization	19
2.7.5 Close and Save	19
2.8 File manager	20
2.8.1 Introduction	20
2.8.2 Common function	20
2.9 Multi-user	21
2.9.1 Add and enter multiple users	21
2.9.2 Multi-User Management	
2.10 Multi-window	22
2.10.1 Opening Multi-Window.	22
2.10.1 Opening Multi-Window	
	23
2.10.2 Multi-Window Operation	23
2.10.2 Multi-Window Operation	23 24 24
2.10.2 Multi-Window Operation 2.11 Welcome page 2.12 Screen recording	23 24 24 24
2.10.2 Multi-Window Operation 2.11 Welcome page 2.12 Screen recording 2.13 Screen shot	23 24 24 25 26
2.10.2 Multi-Window Operation 2.11 Welcome page 2.12 Screen recording 2.13 Screen shot 2.14 Gallery	23 24 24 25 26 27
 2.10.2 Multi-Window Operation	23 24 24 25 26 27 28
 2.10.2 Multi-Window Operation 2.11 Welcome page 2.12 Screen recording 2.13 Screen shot 2.13 Screen shot 2.14 Gallery 2.15 Voting System 2.16 Easy Upload 	23 24 24 25 26 27 28 29
2.10.2 Multi-Window Operation 2.11 Welcome page 2.12 Screen recording 2.13 Screen shot 2.14 Gallery 2.15 Voting System 2.16 Easy Upload 2.17 Timer	23 24 24 25 26 27 28 29 29
2.10.2 Multi-Window Operation 2.11 Welcome page 2.12 Screen recording 2.13 Screen shot 2.14 Gallery 2.15 Voting System 2.16 Easy Upload 2.17 Timer 2.17.1 Stopwatch	23 24 24 25 26 26 27 28 29 29 29

2.18.2 General	33
2.18.3 Device	
2.18.4 Input Channel	41
2.18.5 System	

1 Introduction

- This manual is for all users of the meeting machine , provides reference for the beginners.
- If there is any trouble or uncertain problems, please contact with our manufactures: https:// www.ledvisionusa.com

2 Product function

This document is designed to clarify the basic functions and operation methods of the conference machines, so as to make users get familiar with each function faster;

This product is a conference machine interactive integrated machine, with abundant system functions and application functions, the following introduces the basic use method of each function one by one.

2.1 Boot wizard

The boot wizard is a page that pop up when the user turns on for the first time to guide users to quickly get familiar with the basic functions of the *** machine, mainly including the following pages:



2.2 Launcher

Launcher is the landing page and theme page after power-up,system defaults to 2 sets of themes, as shown in the figure below:



Theme 1



Theme 2

2.2.1 Introduction of page elements

- Wallpaper: You can switch theme, custom background, and rotation wallpaper in system settings--General--Personalization
- Time: Long press to open the system settings, can set date, time and formats manually
- Countdown: Long press to open the prompt setting, can set the countdown, famous sentence content, or hide the prompt
- Application icon: Click to enter application
- Source preview: Preview the preset singal source, like OPS.Click the selection button at the bottom of the singal source preview interface to set the source; click the interface section to turn to the corresponding source page; click the "arrow" in the upper right corner to fold the source preview interface;

2.2.2 Status bar

- The top status bar displays the device name, WiFi-AP name, network status, device temperature and user exit; described as below:
- Device name:Display the name of the current device, associated with hot spot name, screen share device name, Bluetooth name ect.; users can modify it in the settings- -system setting
- Hot spot password: Display hot spot password when it is opened; hot spot can be set in settings--network- -hot spot
- Network status: Show the current network and network status
- Device temperature:Temperature detection, real-time monitoring of the whole machine temperature, users can turn on / off this function in System settings-System-Power state):

When the temperature <65 $^{\circ}$ C is in the normal temperature range, the text display as green;

When $65^{\circ}C \le 85^{\circ}C$ the temperature is high , the text display as orange,will remind you to shut down;

When the temperature≥85 °C the temperature is too high , the text display as red, to protect the device, it will forced shutdown after 5 seconds

 User exit: Click to exit the current user and enter the user selection page; users can set in the settings- -system- -multi-user;

3 Sidebar



Sidebar are applications on the top of the panel, through which you can operate quickly;

Opening mode: Slide out from the left and right edges to the middle or click the expansion button on the left and right sides to expand the sidebar; 10s without operating in the sidebar will be folded away automatically.

Sidebar functions : Back, Home , Multitask, Note, Control panel, Signal source

3.1.1 Back

Click it once to return to the previous step of the operation until back to the home page or the starting position of the operation;

3.1.2 Home

No matter which page you are currently on, click on the home page icon and quickly return to the Android home page. The current application goes back to the background that users can retrieve in multitasking;

3.1.3 Multi-task

Go to the system multitasking page to view and manage the running applications in the background;

3.1.4 Annotation

Enter the annotation mode, please refer to the "annotation function"

3.1.5 Control panel

Click the control panel icon to ecpand the display control panel on the current page. The control panel consists of three modules : ShortcutTools, "VOL&BRT", and Application list;

3.1.5.1 ShortcutTools

- Ethernet network:Click to turn on/off Ethernet network
- Wireless network:Click to turn on/off Wireless network
- WLAN WiFi-AP :Click to turn on/off WLAN WiFi-AP
- Timer:Click to turn on/off Timer
- Screenshot:Click to open the screenshot , while the sidebar will automatically hide
- Intelligent eye protection: Click to turn on / off, reduce the screen blue light that damage to your eyes
- Touch sense: Click to turn on / off, when turn on, the screen brightness drops by 30% during touch, and the brightness recovers after 5s without touching to reduce the glare of the brightness during operation or writing
- Energy saving:Click to turn on / off,when turn on, the screen brightness is set to 25 and turned off the auto brightness. If you adjust the brightness manually or turn on the auto brightness, the energy saving mode will automatically turn off
- Child lock: When opening the child lock, touch screen funcation is unavaliable, the child lock icon display on the upper left side of the interface, and the method of unlocking is as follows:
 - Use the key board and press V-, V-, V+, V+ in turn continuously
 - Use the remote control and press V-, V-, V+, V+ in turn continuously
 - Child lock file:
 - a. New text document
 - b. Enter U2FsdGVkX18v36IHH2OloQYdlbG+Y18YkDs9R1ACvSE=
 - c. Name the file usb_child_key
 - d. Delet the file suffix name.txt
 - e. The character is UTF-8

- f. Saved and place it in the root of U disk
- g. Insert the U disk to unlock it in child lock mode
- Screen lock: Click to lock screen , the screen unlock mode can be modified in [System Settings]
- Channel Setting: under the channel, click to open channel settings to set image scale, VGA image adjustment (under the VGA channel), and HDMI EDID version (under the OPS、HDMI channel)

3.1.5.2 Quick Setting

Click the sidebar to expand style setting: When opened , the expansion button displays when the sidebar is folded, you can click the button to expand the sidebar

When off, hide the expansion button when the sidebar is folded , slide out from the left and right edges to the middle to expand the sidebar

- Volume control: Slide to control the volume
- Brightness adjustment:Slide to adjust the screen brightness, the brightness can not be adjust manually when in energy-saving mode;

3.1.5.3 Application list

To display all the application , click to open application, press the application with the Apps marked in blue, you can open the application in the small window;

3.1.6 Signal source

Click the signal source icon and the signal source list will appear(connected source is highlighted), click to enter the corresponding channel;

3.2 Campass

The compass is a shortcut for the users, and the basic operation is as follows:

- Long press the interface with five fingers to open the compass;
- Click the circle middle of the compass to expand or fold up the compass;
- Drag the circle middle of the compass to move the compass position

The Compass consists of 6 functions modules, among which the Back, Home, Multitask are the default functions , and the others can be customized, you can set up common functions depend on your preference , the specific operations: Setting- -Personalization- -Compass.



3.3 Whiteboard



3.3.1 Menu



The menu contains New, Storage, Sharing, Close, and Settingup ; basic operations are as follows:

- New: Click on "New" to create a new whiteboard, then the current document is closed; there will a prompt if the current document is not saved;
- Open:Enter the File Manager can see all the whiteboard file ,click to open the file;there will a prompt if the current document is not saved;
- Save: click on "Save" to save the current document, you can customize file name, select storage path and file save format;
- Save as:Save the current whiteboard file as another whiteboard file,you can customize file name,select storage path and file save format;
- Scan:click on "Scan" in the Menu panel to show the QR code page,user can downlaod
 picture and file by scaning QR code;password settings are optional;support local LAN and
 external network sharing, users can choose the default mode in the system settings;click on
 "Encrypt" above the QR code to generate a digit-password, user need to enter the password
 to get the content.
- Email:Send contents on the current whiteboard by email to a specified user, you need to preset the sender mailbox.
- Exit:Click on "Exit" to exit the whiteboard and close the page and process; the user is prompted to save the file if the current document is not saved.

3.3.2 Setting

Set the basic state of the whiteboard to make the presentation style and interact more matching with user expectations;

- Multi-finger writing :Click to switch on/off;when tnrn on, open multi-finger writing mode,can write by 20 people at the same time ,when turn off, open single writing mode,
- Paintbrush style Preset: Set the default paintbrush style when entering the whiteboard,set the color, thickness, transparency, and paintbrush style ;
- Background setting: Set the default background style when entering the whiteboard, you can select the background color and gridline style ;
- Email settings:Set up the sender mailbox, which is the sender mailbox when sending a whiteboard file;

3.3.3 Page Management

Page management is mainly to manage the pages of each whiteboard, including:

- Page up:Click to switch to the previous page of the current page, not clickable on the first page;
- Page down:Click to switch to the next page of the current page, not clickable on the last page;
- Current page: When is shown as 5/8, the preceding number "5" indicates the current page, and the following number" 8" indicates the total number of pages; click to view all page thumbnails; you can delete pages or move the page order on the thumbnail;
- New page:Click to insert a new page after the current page, and jump to the new page.

3.3.4 Paintbrush

	Color Bold Opaquene Brush
	Previ
≔ < 01/01 > +	

- Paintbrush 1 and 2: There are two paintbursh: paintbrush 1 and 2, click one to use, click again can change the brush style;
- Color:Preset 9 single colors and 2 gradually changing colors, click to select and effected; brush color can also be customized by the user, click and choose your favorite color;
- Thickness :Preset 6 brush sizes, click to select and effected;
- Transparency : Paintbrush transparency can be adjusted between 6%-100%;
- Paintbrush style: There are three kind of paintbrush style, normal brush, marker pen and pen, also have two intellgent brush with function of character recognition and pattern recognition, selecte it then you can convert your handwriting into printed text and pattern;



3.3.5 Erase

You can erase your handwriting directly with the palm or back of your hand while writing, the following modes are also supported:

- Circle Eraser:Handwriting in the closed-circle can be cleared with just a touch
- Circle to delete:Cross the brush with the object to delete. Strokes that cross or fall within the final circle will be deleted
- Slip Clean screen : swipe "Clear Screen" to clear all the handwriting on the current page

3.3.6 Select

Click on "Select" to switch to the Select mode. click on the handwriting, picture or other elements on the screen to select it, and draw a free closed shape to select the elements within it. The selected

element can be dragged moved, multi fingers zoom operation

1. click the selected element



2. Select the element through which the shape passes



3. select the element within closed shape



3.3.7 Insert



Inserting function supports inserting multiple elements and contents into the whiteboard, including:

- **Picture:** Enter the file manager-picture page,click the picture to insert ; you can select or multiselect (up to 10) pictures then insert to the whiteboard.
- **Table** :Click the table icon,select number of the table rows and columns, click OK to insert the table to whiteborad.Use the brush to enter content in the table, table width and height automatically adapt to the brush size; use the selection tool to select the table, and add or

delete rows and columns, can also use the brush tool to draw the horizontal or vertical line in the same row or column through the table to add row or column, similarly, use the brush tool to draw "Z" lines in the same row or column through the table to delete rows or columns;

- **Shape:** Click and select the shape that you want to draw, and then drag the brush in the whiteboard to draw the shape;
- **Mind map:** Click the mind map to insert the subject into the middle of the whiteboard automatically; use the selection tool or double-finger click to select and edit the subject ;
- **Document:** Click the document insert, then enter the File manager-Document page, you can choose PPT, word, PDF file to insert, in WPS free window mode;
- **Video**:Click the document insert, then enter the File manager-Video page, choose video to insert, in media player free window mode
- **Signal source**: click to select the signal source that supported by the device, and the unaccessed sources are in gray and uninsertable;

3.3.8 Undo and Redo

Undo:Click the Undo button to cancel the most recent step, and support up to 20 steps

Redo:Click the Redo button to resume the previous undo operation

3.3.9 More



The More fuction provides multiple apps' invocation, including:

- Browser inserts picture:Click to open the Google or Baidu, enter the keywords then click, long press the picture which you want to add from the search results page,then insert to the whiteboard;
- Vote:Used for voting in meeting;
- Timer:Used for timing in meeting;
- Quick Transfer: Transfer file from mobile to the screen, and insert to the whiteboard;

3.4 Mini whiteboard



Swiping up from the bottom of any page, can quickly slide out the mini whiteboard and write quickly; basic features include:

- Paint Bursh: You can choose the color and write fast;
- Erase :Same as whiteboard erase, see 3.1.5 Erase
- QR code: Click scan code to generate web link QR code, you can use mobile scanning QR code to obtain whiteboard content (picture format); You can open encryption, scan code after entering the generated password to obtain content
- Minimization: Click or multi-fingers slide down to fold up whiteboard;

3.5 Annotation

Click the Annotation icon on the sidebar or compass to enter the annotation mode, you can write annotations on the current interface



3.5.1 Pen

The default stroke is red, and you can touch Paintbrush Icon to select color, opacity and thickness.



3.5.2 Erase

Same as whiteboard classic pattern erase

3.5.3 Scan share

click on "Scan" in the Menu panel to show the QR code page, user can downlaod picture and file by

scaning QR code;password settings are optional;support local LAN and external network sharing, users can choose the default mode in the system settings;click on "Encrypt" above the QR code to generate a digit-password, user need to enter the password to get the content.

3.5.4 Minimization

If you need to switch pages or operate on the current page, you can click to temporarily minimize the annotation mode and enter the annotation mode again through the sidebar or compass

Your previous annotation can be viewed in page management, page management function same as whiteboard, refer to 2.5.3 page management



3.5.5 Close and Save

Click the left / right lower corner close button, exit the annotation and empty the annotation content. Before you exit, you can choose whether to save all the content, support saving as picture or PDF file



3.6 File manager

FileManager				
.ocal				
Local	All	🗇 Name 🗘	Size 🗘 👘 Dat	te 🥪
18688472822	 Whiteboard file Pic Doc Video Music Compressed APK 	 RecorderCache crash EShareServer Podcasts Ringtones Alarms Movies 	202 202 202 202 202 202 202	22/01/24 22/01/24 22/01/24 22/01/24 22/01/24 22/01/24
		 Audiobooks Notifications Music Pictures DCIM 	202 202 202	22/01/24 22/01/24 22/01/24 22/01/24 22/01/24
				= 5

3.6.1 Introduction

File manager can view files within local and external devices of the system, providing two forms of viewing

- All documents:Open in the folder directory
- File type:Search files in the local and U disks by file type, such as whiteboard files, pictures, videos, music, compression packs, etc

3.6.2 Common function

- Opening file: Find the file that you want to open then click
- Selecting file:Click on the bottom-left corner of the file list page , selecte the file, replication, cutting, delete, and other operations are supported;
- New folder :Click on the bottom-left corner of the file list page to new a folder;

- Form :Click on the two icons in the lower right corner
 It is switch between tile and list;
- Order :Click on the top of the file list to organize by file name,file size and file time;

3.7 Multi-user



In order to solve the multi-purpose scenario of IFPD, the multi-user function is proposed;

Multiple users have three permissions: primary user, common user, and visitor. Each device has a primary user by default. The primary user can access Settings, System, and User to create and manage user accounts.

3.7.1 Add and enter multiple users

- (1) Under the main account, enter the Settings -- System -- User, and turn on the multi-user switch to add a user;
- (2) Click "Add User" to enter the page for adding a user;
- (3) Type-in the user name, role and password to complete the creation;
- (4) After the addition, click "Exit current user" in the Launcher to enter the user switching page;
- (5) Select the user and input the password to enter the corresponding user management.

3.7.2 Multi-User Management

Primary users can manage users on the current device. Common users can only manage their own accounts. Visitor users have no account management rights. Account management support:

- Changing passwords according to the scheme: Each user can set their own password to protect their privacy.
- Password reset: The primary user can reset the passwords of other users to prevent the user from being unable to access the account if the user password is lost.
- User name change: Click to edit the user name, replacing the current user name.
- To delete an account, the primary user can delete other accounts, and all user information is deleted after an account is deleted.

3.8 Multi-window

Multi-window is to facilitate users to operate the functions of different applications at the same time, and display different contents at the same time. The basic operations are as follows:



3.8.1 Opening Multi-Window.

Users can open multiple users in two ways:

• On the menu screen, long press an app icon to pop up a management window, opting for a

'free window' to open your app.

- In the sidebar app management, users can directly access apps in free window mode by long pressing and clicking on them.
- When using the app, use five fingers snap together in the middle of the screen, users can quickly enter the free window mode.

3.8.2 Multi-Window Operation

- After opening multi- windows, you can click the corresponding window to select it at the bottom of the apps, and perform the following operations on it.
- Dragging: You can move a free window by pressing and holding the control bar at the bottom of the screen;
- Scaling: Select, press on the edge of the free window and drag to scale the width and height of the window, and click on the corner to scale the width and height at the same time.
- Left and right edge scaling: Tap the scale button **F** Don the left side of the control bar to scale an app by the left/right side of the screen. Operating two applications at the same time can achieve left and right split screen;
- Restoring the original size: Click the Restore icon on the right side of the control bar to restore the window to its original size.
- Minimization : Click the Minimize icon on the right of the control bar to fold up the app, which can be found in multitasking.
- Maximization: Click the Maximization icon en the right of the control bar to apply a full-screen display.
- Close: Click the close icon icon icon the right of the control bar to close the current application.

3.9 Welcome page



Multiple templates is built in the welcome page.You can click to enter. Users can modify and save the template as a new one.

After entering the template page, users can modify the background, text, music, etc., after the setting, click the button 'play' to display;

3.10 Screen recording



- 1) Click the application icon to enter the application, and the application will open in a small window.
- 2) Click[®], you can start recording, start timing and recording screen; Clicking[®] again can pause timing and screen recording ;
- 3) Click "O" to end screen recording, and the saving option pops up;
- Click """ to minimize the application, fold up the screen recording function and display it as a square dot;
- 5) Click "I to close the screen recording. If the screen recording is in progress, it will prompt you to save;

3.11 Screen shot

•				•			•
	1					W	
	EasyUpload	Browser	Gallery	Screen Record	Setting	WPS	
			_		+ -		
•			24		×=		
	Hardware det	VoteKit	Calendar	Camera	Calculator	Whiteboard	
	_						
	Ċ	Hi		E	Ġ		
	Timer	Welcome Page	File Manager	ESharePro •	OPS1	HDMI1	
							0

Screenshot can quickly capture and save the screen content ;

- Click on screenshot icon on sidebar or compass to
- Drag the screen shot circle to move the screen shot position
- Drag cross point to change the length and width of screen area.
- Click I in the right corner to open the whiteboard and place the screenshot into the whiteboard
- Click in the right corner for a full-screen screenshot;
- Click in the right corner to close the screenshot function;
- Click Click Click Click Confirm the screenshot and prompt to save;

3.12 Gallery



- 1) Click the application icon to enter the app; Or select the picture in the folder to open, enter the application;
- 2) App renders image preview and navigation;
- 3) Slide left and right to turn pages for display;
- 4) Click the control bar at the lower left corner, you can do the previous page, next page, flip, rotation and other operations on the picture;

3.13 Voting System





- The voting device can be used only with network support. If there is no network, this function is unavailable.
- Click the app icon to enter the app.
- Display the voting theme and option setting page, click the input box to invoke the keyboard input;
- Click "Reset" to clear options and themes; Click 'Next' to set single/multiple, anonymous/real name requirements;
- Click "Start voting" to present the QR code of voting. Participants can scan the code to vote and the voting results will be updated in real time;

- Click "End voting", the voting ends, the QR code lose efficacy, the voting page is closed; Present the poll results;
- Click 'Save' to save the voting result; Click "Place whiteboard" to insert the voting results into the whiteboard display.

3.14 Easy Upload.



Easy Upload is an application that can quickly upload pictures and text from mobile phones to the IFPD for sharing and display. The basic operation process is as follows:

- Click the application icon to enter the app;
- Scan theQR code on the screen with your mobile phone to enter the page of easy file uploading;
- Select the local picture or input the text content on the mobile terminal and click Add to enter the uploading and sending process;
- After uploading successfully, the machine will display the recently uploaded picture or text content;
- Click the "Insert whiteboard" icon in the lower left corner of the content to open the whiteboard and place the selected picture into the whiteboard;
- Click the "Delete" icon in the lower right corner of the content to delete the currently selected picture or text;
- Click the "Minimize" icon in the upper right corner of the application box, and the easy upload

application will be minimized . After the application is minimized, it will be displayed at the top of the page in the form of floating window;

• Click the "Close" icon in the upper right corner of the application box to close the easy upload app. After closing the app, all uploaded content will be cleared and no local saving will be performed.

3.15 Timer



The functions of the timer and stopwatch in one are as follows:

3.15.1 Stopwatch

- Click the application icon to enter the application, and then the page will display 00:00:00;
- Click Start to enter stopwatch function;
- During the stopwatch fuctioning, click to pause the timing; Click the reset button on the left to reset the time to zero. Click 👜 to enlarge the full screen to enter the full screen display;
- Click "Close" in the upper right corner to close the application;

3.15.2 Countdown Function

- Click the application icon to enter the application, the page will display 00:00:00;
- Adjust the time to non-zero and enter the countdown function. Click "Start" to enter the official countdown;
- Click the bell icon to open the dot reminder function. When the countdown ends, the system will have a voice reminder;
- Click Reset to restore the preset countdown time;
- Click "Close" in the upper right corner to close the application;

3.16 System settings

3.16.1 Network

3.16.1.1 Netstat:



3.16.1.2 WLAN:

Turn on the wireless network and automatically scan the available wireless network nearby

🛄 Netstat	WLAN	đ
	LANGOTP-5G Connected	() ر
-⊶ (☆) Hotspot	TP-LINK_A534 Encryption WPA/WPA2	ن ف
	HUAWEI-AX3 Encryption WPA2	ن ف
	HUAWEI-338WXH Encryption WPA/WPA2	ن ف
	D-Link_Guest Open	<u></u>
	D-Link_DIR-822+ Encryption WPA/WPA2	ن ف
	LANGO-VIP Encryption WPA/WPA2	() فر
	(\pm)	
	💮 WLAN	WLAN Wired Hotspot HUAWEI-AX3 Encryption WPA/WPA2 HUAWEI-338WXH Encryption WPA/WPA2 D-Link_Guest Open D-Link_DIR-822+ Encryption WPA/WPA2 LANGO-VIP Encryption WPA/WPA2

- On-Off: Turn on/off wireless network
- Refresh: Click refresh icon in the top-right corner to refresh Network List
- Add: Click Add button to fill in network name and password to add hidden network
- Connect: Select the network click connection, fill in the password connection

3.16.1.3 Ethernet

- Turn on the Ethernet network and appear access to IP option
- Automatically access the IP connection network
- Manually enter IP address, default gateway, subnet mask, DNS1、DNS2 settings

Settings			×
Network	🗒 Netstat	Wired	
General	🔶 WLAN	Acquire IP addr	
💥 Adv.	🐺 Wired	Auto acquisition	۲
🕀 Channel	(() Hotspot	Manual set	0
🛞 System			

3.16.1.4 WiFi-AP

Settings	2			×
Hetwork	🛄 Netstat		Hotspot	Change
General	💮 WLAN	•	Hotspot Name	
🛞 Adv.	💭 Wired		IFPbd77	
💮 Channel	(g) Hotspot		EncryMode WPA/WPA2 PSK	
System			Hotspot password	
			123456789	
			Connected Devices (1)	
			02:8f:17:3a:d8:ee	\odot
			Blacklist	
			No Blacklisted device	

• WiFi-AP Password:Displays the current WiFi-AP password, click to change;

- Connected devices:Display connected devices;
- Blacklist :Display blacklisted devices which can not be connected



3.16.2 General

- Theme:The system provides 2 sets of themes by default. Choose to switch themes to present different UI effects on the homepage.
- Wallpaper: The system provides 10 pieces of wallpaper with automatic rotate multicast; click
 users can upload the customized wallpaper;

Timer

 Small Components: Prompt language switch, control whether page prompt language will display; Display window, can control the switch and display content, also can choose the two fuctions of sourcing and scanning code to occupy the screen; • Negative screen: The negative screen is the page with the left and right slide into the Launcher home page. After entering the function, the user can drag the app to the corresponding page to take effect

3.16.2.1 Sound

Settings		×
Network	Customization	Sound
😚 General	口》 Sound	Volume
💥 Adv.	·Ọ́- Display	۵ 30
💮 Channel	🛞 CenterMenu 【	Max volume 100
🛞 System	街 Gesture interaction	50 0 100
	D) ScreenRecorder	Balance Left Right
		Subwoofer output
		Sound mode Standard
5		

Sound setting is used to adjust the sound effect of the system, adjustable content :

- Volume:Adjust the volume,also can adjust by pushing the "volume+"and "volume-"button on remote control or device button
- Maximum volume:Sets the system maximum volume
- Balance: Balance the left& right channels
- Sound mode: preset standard, conference room, cinema, classroom four sound modes, but also support customizing;

3.16.2.2 Display

Settings		
Network	Customization	Display
General	C)) Sound	Brightness 100
🛞 Adv.	-Ö: Display	×o
🕀 Channel	🛞 CenterMenu 🔍	Pic mode
🛞 System	💍 Gesture interaction	Standard Bright Brilliant Custom
	口の ScreenRecorder	Tone
		Contrast
		50
		Hue
		50
		Sharpness
		50

Display settings can adjust display effect of the screen,

- Brightness:Adjust backlight brightness, the lower the value, the darker the picture;
- Image mode :System default image mode:standard, bright, bright-coloured,but also support customizing;

3.16.2.3 Compass

Settings			
Network	Customization	CenterMenu	
General	디)) Sound	Auto collapse	
💥 Adv.	·Ò- Display	Always-On	0
🕀 Channel	🛞 CenterMenu 💽	5s	• 0 0
C) onumer	(b) containent	10s	0
🛞 System	👌 Gesture interaction	15s	0
	C)) ScreenRecorder	20s	0
		Collapse status	
		Shrink into a small circular ring	0
		Fade away	۲
		Ball Style	
		Circle	۲
		List	0
		Custom Ball	

Compass setting is mainly to adjust the compass switch, display time, display style and other functions, specific as follows:

- Switch:Click the compass switch, you can switch the compass display state, can not be called out under the closed state, you can long press the compass with five fingers to open the compass under the open state
- automatically rewind time setting: Click to select the corresponding rewinding time.
- Fold up state: choose to fold into a small circle, compass fold the surrounding tool options only, keep the circle in the center, click to expand; choose "disappear", compass fold up and disappear , not shown in screen, need five fingers long press to open;
- Compass form: It supports two forms of wheel and list
- Compass customization: You can customize the last three application icons on the compass, as the picture show, drag the application to the location to add:


3.16.2.4 Gesture interaction

Settings			
Network	Customization	Gesture interaction	
General	C)シ Sound	Call out the compass	
💥 Adv.	-☆- Display	Long press with five fingers to call out the compass	
🕀 Channel	🛞 CenterMenu	Information screen/wake up Two-finger double-tap screen/wake up	
🛞 System	b Gesture interaction	Screen Down	•
	 〇) ScreenRecorder 	Swipe down with three fingers and move the screen down	

The system has preset some gesture interactions where the users can switch settings:

- double click with two fingers to asleep or wake up the screen;
- Move down the screen: slide down with three fingers to move down the screen on channel

page

3.16.2.5 Screen recording

Settings			
Network	Customization	Themes	
😚 General	디)) Sound	ScreenRecorder resolution	
Adv.	·Ŏ· Display	1280x720	1920x1080
🕞 Channel	🛞 CenterMenu	Volume source	
🛞 System	💍 Gesture interaction	Microphone Media so	und Media sound + Microphone
	C)) ScreenRecorder	ScreenRecorder time limit	
		45 min	

Preset the screen recording function, including:

- Recording resolution: Three resolution are optional
- Sound source:Set up the sound source for the screen recording remix
- Recording time limit:Maximum recording time, when the maximum recording time is reached it will prompte to save;

3.16.3 Device

Device control page, mainly adjust the external equipment of the device, including Bluetooth and Bluetooth devices, printer, microphone, camera

3.16.3.1 Bluetooth

- Bluetooth function depends on model configuration
- Enable the Bluetooth functioned , you can search for devices and transfer files ,or find and connect other Bluetooth devices (Including but not limited to mouse, keyboard, headset, audio, mobile devices, PC, universal / unidentified devices)

Settings		×
Network	() Bluetooth	Bluetooth
General	Printer	Bluetooth name
💥 Adv.	🖉 Microphone	IFPbd77
🕀 Channel	Camera	Paired device
🛞 System		No device
		Available device
		DESKTOP-0UT576H
		🔒 realme GT Neo
		BT Speaker
		10:63:C8:C7:20:28

3.16.3.2 Printer

Settings		×
Network	③ Bluetooth	Printer
General	🗇 Printer	How to use the printer?
 Adv. Channel System 	Microphone Camera	 Open browser or APP marketplace to search and install the official printer plug-in; Start the printer and connect with the IPF, refer to your printer manual for specific operation; Open APPs such as Gallery and Browser, select print function to print the required content;
8		

- Install the print service according to the instructions
- Turn on the print service to get the available printer terminals

3.16.3.3 Microphone:

Settings			
Network	() Bluetooth	Microphone	Refresh
💮 General	Printer	USB-Audio - C922 Pro Stream Webcam	•
🛞 Device	🖉 Microphone		
🕀 Channel	Camera		
🛞 System			

Microphone :View the connected microphone device, all devices are presented in list, click to switch

Settings			
Network	③ Bluetooth	Camera	Detection
💮 General	🗇 Printer	C922 Pro Stream Webcam	
🛞 Device	🖉 Microphone		
💮 Channel	Camera		
🛞 System			

3.16.3.4 Camera

Camera:View the connected camera device, all devices are presented in list, click to switch

3.16.4 Input Channel

Channel image	Channel image	
$\begin{array}{c} \square \searrow \\ \frown \end{array}$ Switch settings	Currently on the UHD channel	
	Scale mode	
	Auto	0
	16:9	۲
	4:3	0
	peer to peer	0
	PC mode Only valid for HDMI channels	
	Auto	۲
	PC	0
	Video	0
		Switch settings Currently on the UHD channel Scale mode Auto 16:9 4:3 peer to peer PC mode Only valid for HDMI channels Auto PC

3.16.4.1 Channel image

- Describes the status of the current access source
- Scale mode:Set the display scale of the current input source
- PC mode:select screen display mode

3.16.4.2 Other setting

nnel 🛛
current
ng to the
n standby
OID 🛛

- No signal jump: If the current channel has no signal, the page will automatically switch, and the user can customize the jump page;
- Automatic jump: When the system is running, access the new signal source, it'll automatically jump to the corresponding channel;
- Automatic wake-up: Under standby or sleep state, access the signal source and automatically wake up the device;
- Boot channel: Set up to access to a channel after the boot, can be set to andriod or each source interface;
- Channel name customization: There are many signal sources and names in the system, users can customize their familiar names, the system will display the new signal source name after customized;

3.16.5 System

The various system parameters can be adjusted and viewed in the system settings,including:Date and Time, Language and keyboard, Power state, System update, System security, About.

3.16.5.1 Date and Time

Settings			
Hetwork	🕔 Date & Time	Date & Time	
General	🛆 Language & Input	Auto time update	C
🛞 Adv.	(¹) Power state	Date & Time	2022/01/24 14:27
🕀 Channel	💮 System update	Date format	
() System	System security	YYYY/MM/DD	۲
		MM/DD/YYYY	0
	Ø User Manager	DD/MM/YYYY	0
	() About	Time format	
		24-Hour Time	۲
		12-Hour Time	0
		Timezone	Beijing GMT+8:00

- Automatic update:Enable to synchronize network-time(Need to connect to the Internet))
- Date and time: Turn off automatic update ,click to adjust the date and time;
- Date format: Three date-display format, according to your habit to choose one ;
- Time format: Two time-display format, according to your habit to choose one;
- Time zone :Set time zone , click to enter the time zone selection list

3.16.5.2 Language and keyboard

Settings			
Network	() Date & Time	Language & Input	
😭 General	A Language & Input	IME	
🔆 Adv.	O Power state	SmartIME	0
🕀 Channel	💮 System update	System Language	
@		中文 (简体)	C
🛞 System	System security	中文 (繁體)	C
	(2) User Manager	English	
	() About	Español	C
	0.111	한국어	C
		Japanese	C
		Russian	C
		Vietnamese	C
		Français	C
		Deutsch	C
		Italiano	C
		Português	С

- Keyboard:Users can select input method here
- System Language:System language can be switched in Simplified Chinese,Traditional Chines,English,French,German,Russian,Japanese,Korean,Polish,Portuguese,Vietnamese, Spanish,Italian,and Arabic .

3.16.5.3 Power state



Power on:After opening, the device directly enters the boot state when it is powered on; Otherwise, the standby mode is used by default.

- Automatic screen sleep :Choose this fuction, you can set the screen rest time. The screen will turn off at the end of the screen sleep time.
- Auto power-off, you can set the automatic power-off mode, you can choose to automatically power-off after no signal or automatic power-off after screen sleep.
- Auto On/Off :Set time to auto on/off.
- Temperature detection: The upper right corner status bar will display the current device temperature, you can see temperature status in the status bar
- Temperature protection: When the temperature ≥85 °C , it will forced shutdown to protect the device

3.16.5.4 System update



- System update: Display the current firmware version, click refresh to detect the latest version. When there is a new version, present the update version button, click to enter the upgrade process
- OTA server: Use OTA push to detect new version automatically in networking, you can customize OTA server address

3.16.5.5 System security

Settings			
Hetwork	🕔 Date & Time	System security	
💮 General	🛆 Language & Input	Lock screen password	
淤 Adv.	O Power state	Auto screen lock	
🕀 Channel	💮 System update	Lock screen upon sleeping	۲
() System	System security	10 seconds after sleep	0
Section 201		1 minutes after sleep	0
	(2) User Manager	10 minutes after sleep	0
	() About	USB stick screen lock	
		After opening, insert the U disk with the lock screen key to lock or unlock the screen	
		USB access	
		Allows unknown sources to install third-party APP	

- Lock Screen:You can set the pattern or password to unlock. If you forget the password, you can only restore the equipment use by factory resets, please keep it properly
- Auto-screen lock:
- U Disk Lock Screen:Store the "usb_key" file in the root directory of the USB device. Automatically lock screen / unlock after receiving USB flash drive, no need to enter password to unlock

U disk lock screen / unlock file

- ① New text document
- 2 Entering U2FsdGVkX19eyanxj43a24KpK3kZmzB9
- ③ Name the file usb_key
- ④ Delete the file suffix name .txt
- 5 The character is UTF-8
- 6 Saved and place it in the root of U disk
- ⑦ Insert the U disk to unlock
- USB Permission: If the permission is enabled, USB reading is disabled for protect file from copied(you need to set a password at the first time, if you forget the password, you can only restore the equipment use by factory reset, please keep it properly); you need to enter

password to gain access to the USB stick.

• Allow third party applications installation from unknown sources: Users can install third party applications, or can only download and install applications from the Google Store

3.16.5.6 Multi-user

Refer to above, multi-user function introduction

Settings				
Hetwork	() Date & Time	Multi user and	l user management	
General	🛆 Language & Input	Current user ma	nagement	+ Add user
🛞 Device	\bigcirc Power state	🧿 Owner	Manage users	G
😔 Channel	合 System update	🧿 用户2	Visitor user	C ū
🛞 System	System security	🦲 用户3	Ordinary users	C ū
(H) System	System security	🦲 用户4	Ordinary users	
	🙁 User Manager	🦲 用户5	Ordinary users	
	() About	🦲 用户6	Ordinary users	
		🦲 用户7	Ordinary users	
		🦲 用户8	Ordinary users	
		用户9	Ordinary users	
		Note: all sub accounts are n device needs to be reset be other redundant accounts v	nanaged by the master user. If the master use fore entering. After reset, the system will rest will be deleted.	r forgets the password, the ore the factory settings, and
			User right	s management »

3.16.5.7 About

Settings		
Network	🕚 Date & Time	About
💮 General	A Language & Input	Device name
🛞 Adv.	(¹) Power state	IFPbd77
🕀 Channel	💮 System update	RAM
System	System security	1.49 GB/4.00 GB (37% usable)
	(2) User Manager	Storage space 20.54 GB/32.00 GB (64% usable)
	About	Resolution
		3840X2160
		Android version
		Android 11.0
		MAC address
		02:ad:36:01:bd:77
		Factory reset Reset

Click to view device information ;

- Device name:Click on it to edit the device name
- Factory reset: Factory reset will delete all operation records and content, and restore the devicet to the factory state